

Science News

from research organizations



Electrical spin filtering the key to ultra-fast, energy-efficient spintronics

Electrical spin filtering avoids energy-costs of magnetic field

Date: December 4, 2020

Source: ARC Centre of Excellence in Future Low-Energy Electronics Technologies

Summary: A new study is a step towards even-faster, more energy-efficient 'spintronic' technology - an exciting, beyond-CMOS technology. The new study applies 'spin-filtering' to separate spin orientation, allowing generation and detection of spin via electrical (rather than magnetic) means, because electric fields are a lot less energetically costly to generate than magnetic fields.

Share:

FULL STORY

Spin-filtering could be the key to faster, more energy-efficient switching in future spintronic technology, allowing the detection of spin by electrical rather than magnetic means.

Most Popular

this week

SPACE & TIME



Have We Detected Dark Energy? Scientists Say It's a Possibility



Mars Habitability Limited by Its Small Size, Isotope Study Suggests



Will It Be Safe for Humans to Fly to Mars?

MATTER & ENERGY

Unbreakable Glass Inspired by Seashells



Engineers Grow Pancreatic 'Organoids' That Mimic the Real Thing

A New Solid-State Battery Surprises the Researchers Who Created It

COMPUTERS & MATH



A Universal Equation for the Shape of an Egg

A UNSW paper published last month demonstrates spin detection using a spin filter to separate spin orientation according to their energies.

Ultra-fast, ultra-low energy 'spintronic' devices are an exciting, beyond-CMOS technology.

DETECTING SPIN VIA ELECTRICAL MEANS IN FUTURE SPINTRONICS

The emerging field of spintronic devices use the extra degree of freedom offered by particles' quantum spin, in addition to its charge, allowing for ultra-fast, ultra-low energy computation.

The key is the ability to generate and detect spin as it accumulates on a material's surface.

The aim of researchers is to generate and detect spin via electrical means, rather than magnetic means, because electric fields are a lot less energetically costly to generate than magnetic fields.

Energy-efficient spintronics is dependent on both generation and detection of spin via *electrical* means.

In strongly spin-orbit coupled semiconductor systems, all-electrical *generation* of spin has already been successfully demonstrated.

However, *detection* of spin-to-charge conversion has always required a large range of magnetic fields, thus limiting the speed and practicality.

In this new study, UNSW researchers have exploited the non-linear interactions between spin accumulation and charge currents in gallium-arsenide holes, demonstrating all-electrical spin-to-charge conversion *without* the need for a magnetic field.

"Our technique promises new possibilities for rapid spin detection in a wide variety of materials, without using a magnetic field," explains lead author Dr Elizabeth Marcellina.

Previously, *generation and detection* of spin accumulation in semiconductors has been achieved through optical methods, or via the spin Hall effect-inverse spin Hall effect pair.

However, these methods require a large spin diffusion length, meaning that they are not applicable to strongly spin-orbit coupled materials with short spin diffusion length.

Researchers Identify Mutations of Delta, Delta Plus Variants

Three Reasons Why COVID-19 Can Cause Silent Hypoxia

Strange & Offbeat

SPACE & TIME

Scientists Confirm Decrease in Pluto's Atmospheric Density

Astronomers May Have Discovered First Planet to Orbit 3 Stars

'Mini Psycheds' Give Insights Into Mysterious Metal-Rich Near-Earth Asteroids

MATTER & ENERGY

Tracking Muscle Activity With Clothes on Your Back

Microscopic Metavehicles Powered by Nothing but Light

Ultrathin Quantum Dot LED That Can Be Folded Freely as Paper

COMPUTERS & MATH

Peering Into the Moon's Shadows With AI

Human Learning Can Be Duplicated in Solid Matter

Tube-Shaped Robots Roll Up Stairs, Carry Carts, and Race One Another

ALL-ELECTRICAL SPIN FILTERING

The UNSW study introduces a new method for detecting spin accumulation - using a spin filter, which separates different spin orientations based on their energies.

Typically, spin filters have relied on the application of large magnetic fields, which is impractical and can interfere with the spin accumulation.

Instead, the UNSW team exploited non-linear interactions between spin accumulation and charge, which facilitate the conversion of spin accumulation into charge currents even at zero magnetic field.

"Using ballistic, mesoscopic gallium-arsenide holes as a model system for strongly spin-orbit coupled materials, we demonstrated non-linear spin-to-charge conversion that is all-electrical and requires no magnetic field," says corresponding author A/Prof Dimi Culcer (UNSW).

"We showed that non-linear spin-to-charge conversion is fully consistent with the data obtained from linear response measurements and is orders of magnitude faster," says corresponding-author Prof Alex Hamilton, also at UNSW.

Because the non-linear method does not need a magnetic field nor a long spin diffusion length, it promises new possibilities for fast detection of spin accumulation in strongly spin-orbit coupled materials with short spin diffusion lengths, such as TMDCs and topological materials.

Finally, the rapidness of non-linear spin-to-charge conversion can enable time-resolved read-out of spin accumulation down to 1 nanosecond resolution.

Story Source:

Materials provided by **ARC Centre of Excellence in Future Low-Energy Electronics Technologies**. *Note: Content may be edited for style and length.*

Journal Reference:

1. E. Marcellina, A. Srinivasan, F. Nichele, P. Stano, D. A. Ritchie, I. Farrer, Dimitrie Culcer, A. R. Hamilton. **Nonlinear spin filter for nonmagnetic**

materials at zero magnetic field. *Physical Review B*, 2020; 102 (14)

DOI: 10.1103/physrevb.102.140406

Cite This Page: MLA APA Chicago

ARC Centre of Excellence in Future Low-Energy Electronics Technologies.
"Electrical spin filtering the key to ultra-fast, energy-efficient spintronics:
Electrical spin filtering avoids energy-costs of magnetic field." ScienceDaily.
ScienceDaily, 4 December 2020.
<www.sciencedaily.com/releases/2020/12/201204110229.htm>.

RELATED STORIES

Inducing and Tuning Spin Interactions in Layered Material

June 16, 2021 — Magnetic-spin interactions that allow spin-manipulation by electrical control allow potential applications in energy-efficient spintronic devices. Researchers now describe the induction of such ...

Construction Set of Magnon Logic Extended: Magnon Spin Currents Can Be Controlled Via Spin Valve Structure

Mar. 14, 2018 — In the emerging field of magnon spintronics, researchers investigate the possibility to transport and process information by means of so-called magnon spin currents. In contrast to electrical ...

Practical Spin Wave Transistor One Step Closer

Mar. 1, 2018 — Physicists have managed to alter the flow of spin waves through a magnet, using only an electrical current. This is a huge step towards the spin transistor that is needed to construct spintronic ...

Diamonds Show Promise for Spintronic Devices

Jan. 29, 2018 — Recently, researchers have been exploring the potential for a new technology, called spintronics, that relies on detecting and controlling a particle's spin. This technology could lead to new types ...

FROM AROUND THE WEB

ScienceDaily shares links with sites in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Numerical modelling of non-linear coupled thermo-electric problems: A comparative study

Igor O. Golosnoy et al., COMPEL, 2009

Electronic phase-crossover and room temperature ferromagnetism in a two-dimensional (2D) spin lattice

A. K. Nair et al., Campaign Jun 2021 - Physical, 2020

Ionic Mobility Measurements Applying a Controlled Direct Electric Field on Pulsed Gradient Spin Echo Nuclear Magnetic Resonance

Yuria Saito et al., Journal of The Electrochemical Society, 2001

Modeling and implementation of spin diode based on two dimensional materials using Monte Carlo sampling method

Swapnali Makdey et al., Circuit World, 2020

Tailoring spintronic and opto-electronic characteristics of bilayer AlN through MnOx clusters intercalation; an ab initio study

Irfan Ahmed et al., Campaign Jun 2021 - Physical, 2021

First-Principles Investigation of NdFe₂Ge₂

S. Soliman, ECS Journal of Solid State Science and Technology, 2016

Matching-adjusted indirect comparison of palbociclib versus ribociclib and abemaciclib in hormone receptor-positive, human epidermal growth factor receptor 2-negative advanced breast cancer

Rugo HS, et al., Journal of Comparative Effectiveness Research, 2021

Real-World Tumor Response of Palbociclib Plus Letrozole vs Letrozole for Metastatic Breast Cancer in US Clinical Practice

Brufsky A, et al., Targeted Oncology, 2021

Powered by **TREND MD**

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [LinkedIn](#)

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2021 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— [CCPA: Do Not Sell My Information](#) — — [GDPR: Privacy Settings](#) —