



## Electrical spin filtering the key to ultra-fast, energy-efficient spintronics

Spin-filtering could be the key to faster, more energy-efficient switching in future spintronic technology, allowing the detection of spin by electrical rather than magnetic means.

A UNSW paper published last month demonstrates spin detection using a spin filter to separate spin orientation according to their energies.

Ultra-fast, ultra-low energy 'spintronic' devices are an exciting, beyond-CMOS technology.

### DETECTING SPIN VIA ELECTRICAL MEANS IN FUTURE SPINTRONICS

The emerging field of spintronic devices use the extra degree of freedom offered by particles' quantum spin, in addition to its charge, allowing for ultra-fast, ultra-low energy computation.

The key is the ability to generate and detect spin as it accumulates on a material's surface.

The aim of researchers is to generate and detect spin via electrical means, rather than magnetic means, because electric fields are a lot less energetically costly to generate than magnetic fields.

Energy-efficient spintronics is dependent on both generation and detection of spin via *electrical* means.

In strongly spin-orbit coupled semiconductor systems, all-electrical *generation* of spin has already been successfully demonstrated.

However, *detection* of spin-to-charge conversion has always required a large range of magnetic fields, thus limiting the speed and practicality.

## Discover 7thSpace

- + Home (/)
- + In The News (/headlines/)
- + Submit Press Release (/press\_release\_submission/)
- + Web Directory (/web\_directory/)
- + Business Tools (/business\_tools/)
- + Shopping Deals (/shopping/)
- + The Family Zone (/family/)
- + Entertainment (/entertainment/)
- + 7thSpace Marketing (/marketing/)

In this new study, UNSW researchers have exploited the non-linear interactions between spin accumulation and charge currents in gallium-arsenide holes, demonstrating all-electrical spin-to-charge conversion *without* the need for a magnetic field.

"Our technique promises new possibilities for rapid spin detection in a wide variety of materials, without using a magnetic field," explains lead author Dr Elizabeth Marcellina.

Previously, *generation and detection* of spin accumulation in semiconductors has been achieved through optical methods, or via the spin Hall effect-inverse spin Hall effect pair.

However, these methods require a large spin diffusion length, meaning that they are not applicable to strongly spin-orbit coupled materials with short spin diffusion length.

#### ALL-ELECTRICAL SPIN FILTERING

The UNSW study introduces a new method for detecting spin accumulation--using a spin filter, which separates different spin orientations based on their energies.

Typically, spin filters have relied on the application of large magnetic fields, which is impractical and can interfere with the spin accumulation.

Instead, the UNSW team exploited non-linear interactions between spin accumulation and charge, which facilitate the conversion of spin accumulation into charge currents even at zero magnetic field.

"Using ballistic, mesoscopic gallium-arsenide holes as a model system for strongly spin-orbit coupled materials, we demonstrated non-linear spin-to-charge conversion that is all-electrical and requires no magnetic field," says corresponding author A/Prof Dimi Culcer (UNSW).

"We showed that non-linear spin-to-charge conversion is fully consistent with the data obtained from linear response measurements and is orders of magnitude faster," says corresponding-author Prof Alex Hamilton, also at UNSW.

Because the non-linear method does not need a magnetic field nor a long spin diffusion length, it promises new possibilities for fast detection of spin accumulation in strongly spin-orbit coupled materials with short spin diffusion lengths, such as TMDCs and topological materials.

Finally, the rapidness of non-linear spin-to-charge conversion can enable time-resolved read-out of spin accumulation down to 1 nanosecond resolution.

###

#### THE STUDY

A non-linear spin filter for non-magnetic materials at zero magnetic field was published in Physical Review B in October 2020. (DOI 10.1103/physrevb.102.140406)

The work was supported by the Australian Research Council (Discovery and Centres of Excellence programs) and the device was fabricated using facilities of the New South Wales Node of the Australian National Fabrication Facility (ANFF-NSW).

Ultra-low energy spintronics is one of several future technologies studied at FLEET, the Australian Research Council Centre of Excellence in Future Low-Energy Electronics Technologies.

This story has been published on: 2020-12-04. To contact the author, please use the contact details within the article.



---

## About

7thSpace Interactive has been launched back in 2007 and provides tools and content for the whole family. No matter if you are looking for the latest headlines, press releases or a valuable source to discover new websites - 7thSpace delivers!

## Social Sharing

We believe sharing information is very important these days. However, when we talk sharing information, we do not mean your personal details, but information that you will find on our website. That said, DO share our site :)

## Privacy Policy

Your personal information is always protected. This website does not store cookies or web beacons on your computer or smartphone when accessing this server. Simply put, nobody should care what sites someone is browsing.